

Key Performance Advantages

- Efficient primary amine neutralizing agent for acid functional raw materials
- Unmatched performance in hair spray, gel and mousses
- Milder alkalizing agent for semi-permanent and temporary hair dye



Personal Care

AMP-ULTRA[®] PC

Globally Compliant Neutralizer for Personal Care and Cosmetic Products

For pure and broadly compliant aminomethyl propanol (AMP[®]) in commercial quantities, you need AMP-ULTRA[®] PC neutralizing amine. With more than 30 years of experience in AMP development, ANGUS has developed AMP-ULTRA PC to meet your global compliance needs.

AMP-ULTRA PC sets a quality benchmark as the preferred neutralizing agent, providing compliance as of May 2015 with European Union rulings on purity, secondary amine and nitrosamine content of raw materials used in the manufacture of cosmetics and personal care products.

- As of May 2015:
 - Compliant with EU Cosmetics Directive (EC) No. 1223/2009, the recast for the EU Cosmetics Directive 76/768/EEC and Amendments
 - CTFA, including listing in USA and Japan (aminomethyl propanol)
 - Mexico Prohibited and Restricted Substances in Perfumes and Cosmetics
 - Brazil ANVISA Mercosul Resolution on Cosmetics and Personal Care
 - ISO 9001: 2000 certified
- Three commercial grades to meet your processing needs: AMP-ULTRA PC 1000 (anhydrous)
 - AMP-ULTRA PC 1000 (anhydrous)
 - AMP-ULTRA PC 2000 (5% water)
 - AMP-ULTRA PC 3000 (11% water)
- Batch size up to 24 MT
- Standard packaging 195 kg drums; AMP-ULTRA PC 2000 and 3000 also available in 950kg IBCs (intermediate bulk containers)
- Global supply capability

Typical Properties


The following are typical physical/chemical properties of AMP-ULTRA PC. They are not to be considered product specifications.

Appearance (grade specific)	Colorless solid or liquid	Consistent and characteristic odor
Purity, anhydrous % weight (minimum)	99.0	
APHA color, 20 % aqueous solution (maximum)	20	
Secondary amines, anhydrous % weight	<0.5	
Nitrosamine content, ppb	<50	

Application


With its primary amine functionality, water- and alcohol-solubility and excellent toxicity profile, AMP-ULTRA PC is ideal for:

- Aerosol spray products
- Pump sprays
- Styling gels and mousses
- After-sun coolers
- Hand sanitizers
- Sunscreen lotions



The low molecular weight of AMP-ULTRA PC typically permits one-third less amine to be used for neutralization than is required for most other cosmetic grade amines. AMP-ULTRA PC provides superior color stability versus other amines and is compatible with virtually all fixative resins. AMP-ULTRA PC is available as an anhydrous solid (AMP-ULTRA PC 1000), a 95% concentration aqueous solution (AMP-ULTRA PC 2000), and as an 89% concentration aqueous solution (AMP-ULTRA PC 3000).

Neutralization of 0.1N Stearic Acid with 0.5N AMP-ULTRA PC



Suggested Sample Formulations

Hairspray (low cost)

Ingredients	% by Weight	Supplier
Amphomer HC	2.25	National Starch
AMP-ULTRA PC	0.57	ANGUS
Dimethicone copolyol	0.10	Dow Corning
Alcohol	46.98	--
Perfume	0.10	--
Propane/Butane	50.00	--

Natural Alcohol-Free Styling Gel

Ingredients	% by Weight	Supplier
A. Amaze	2.00	National Starch
AMP-ULTRA PC	0.30	ANGUS
Deionized water	71.50	--
Glycerine	1.00	--
B. Carbopol EDT 2020 (2% aqueous solution)	15.00	Noveon
DOWICIL* 200 Preservative	0.20	Dow Chemical
Deionized Water	10.00	--

*DOWICIL is a trademark of The Dow Chemical Company

After-Sun Cooler

Ingredients	% by Weight	Supplier
A. Water, demineralized	82.35	--
B. Carbopol Ultrez	0.50	Noveon
C. AMP-ULTRA PC	q.s.	ANGUS
D. Propylene glycol	3.00	--
Glycerine	3.00	--
Betavera	10.00	Brooks
Germaben II	1.00	Sutton
FD&C Blue No. 1 (0.1% Solution)	q.s.	--
FD&C Yellow No. 5 (0.1% Solution)	q.s.	--
Fragrance	q.s.	--

Health and Safety


Typical of alkaline materials, undiluted aminomethyl propanol is severely irritating to the skin, eyes and mucous membranes of the gastrointestinal tract and respiratory tract and is not a dermal sensitizer. 2-amino-2-methyl-1-propanol is moderately toxic if swallowed, primarily due to the potential for burn damage to the mouth, throat and gastrointestinal tract. However, at the concentrations typically found in finished products (<2%), aminomethyl propanol has a low potential for toxicity. Please refer to the Safety Data Sheet for further information.

Environmental and Disposal Considerations

Biodegradation of aminomethyl propanol may occur slowly under both aerobic and anaerobic conditions, and is expected to occur in the soil environment. In the atmospheric environment, the material is estimated to have a tropospheric half-life of five hours and is, therefore, not likely to persist in the atmosphere. It is considered slightly toxic to aquatic organisms on an acute basis (LC50 or EC50 between 10 and 100 mg/L in the most sensitive species tested). Any disposal practice must be in compliance with all local and national laws and regulations. Please refer to the Safety Data Sheet for further information.

Product Stewardship

ANGUS encourages its customers to review their applications of ANGUS products from the standpoint of human health and environmental quality. To help ensure that ANGUS products are not used in ways for which they are not intended, ANGUS personnel will assist customers in dealing with environmental and product safety considerations. For assistance, product Safety Data Sheets, or other information, please contact your ANGUS representative at the numbers provided in this document. When considering the use of any ANGUS product in a particular application, review the latest Safety Data Sheet to ensure that the intended use is within the scope of approved uses and can be accomplished safely. Before handling any of the products, obtain available product safety information including the Safety Data Sheet(s) and take the necessary steps to ensure safety of use.

Contact Information	North America +1-844-474-9969	Western Europe +49-69-38-079-1799	Middle East and Africa +49-69-38-079-1799	Greater China +86-40-0881-1243	Southeast Asia, Australia and New Zealand +66-2787-3335 +65-6723-1010
angus.com	Latin America +55-11-4700-8427	Central and Eastern Europe +49-69-38-079-1799	Indian Subcontinent +000-800-440-5098	Japan and Korea +81-34-477-4961 +82-23-483-6665	
	<small> ©™Trademark of ANGUS Chemical Company Notice: No freedom from infringement of any patent owned by ANGUS or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where ANGUS is represented. The claims made may not have been approved for use in all countries. ANGUS assumes no obligation or liability for the information in the document. References to "ANGUS" or the "Company" mean the ANGUS Chemical Company legal entity selling the products to Customer unless expressly noted. NO WARRANTIES ARE GIVEN: ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. Published May 2016 Form No. AMP-1333-0516-TCG </small>				