

Key Performance Advantages

Better corrosion control can lead to:

- Longer equipment life
- Higher energy efficiency
- Lower operating risks and costs



Industrial Water

WATER TREATMENT SOLUTIONS

High Performance Products for Treating Water and Controlling Corrosion in Steam Generation Systems

ANGUS produces multifunctional amines for use in low- to medium-pressure (<1,200 psi) steam generation systems, ideal for controlling corrosion. Benefits include:

- Efficient neutralizers
- Effective pH control
- Easily regenerated with low make up
- Effective in both vapor and liquid phases
- Strong affinity to CO₂ preventing carbonic acid formation
- Passivation of steel
- Thermally stable
- Catalyst-free oxygen scavenging
- Low secondary amines
- Less hazardous than morpholine, hydrazine and hydroquinone
- Compatible with other commonly-used treatment chemicals

Product	Chemistry	Function
AMP-90 [®]	2-amino-2-methyl-1-propanol + 10% water	pH adjuster & CO ₂ absorber
AMP-95 [®]	2-amino-2-methyl-1-propanol + 5% water	pH adjuster & CO ₂ absorber
HYDROGUARD [®] I-15	N-isopropylhydroxylamine (IPHA) – 15% aqueous solution	O ₂ Scavenger & Metal Passivator

Typical Properties

The following are selected properties.
They are not to be considered product specifications.

	AMP-90	AMP-95	HYDROGUARD I-15
Active ingredients	90% by wt.	95% by wt.	15-16% by wt.
Water	10% by wt.	5% by wt.	84-85% by wt.
Appearance/description	Water-white liquid	Water-white liquid	Water-white liquid
Flash point, closed cup	86°C (186°F), Tag closed cup	83°C (182°F), Tag closed cup	46°C (114°F), Setaflash closed cup
Fire point, Cleveland open cup	Not tested	Not tested	>100°C (>212°F)
pH (1% aqueous)	11.3	11.3	10.6
Specific gravity @ 25°C	0.949	0.942	1.000
Pounds per gallon @ 25°C	7.91 lb.	7.85 lb.	8.36 lb.
Freezing/Crystallization point	-11 C (12°F)	-2°C (28°F)	-5°C (23°F)
Refractive index	1.4568 @ 20°C	1.4568 @ 20°C	1.3570 @ 25°C

Product Stewardship

ANGUS encourages its customers to review their applications of ANGUS products from the standpoint of human health and environmental quality. To help ensure that ANGUS products are not used in ways for which they are not intended, ANGUS personnel will assist customers in dealing with environmental and product safety considerations. For assistance, product Safety Data Sheets, or other information, please contact your ANGUS representative at the numbers provided in this document. When considering the use of any ANGUS product in a particular application, review the latest Safety Data Sheet to ensure that the intended use is within the scope of approved uses and can be accomplished safely. Before handling any of the products, obtain available product safety information including the Safety Data Sheet(s) and take the necessary steps to ensure safety of use.

Contact Information	North America +1 (847) 808-3887	Western Europe +33 670654658	Middle East and Africa +33 670654658	Greater China +65 8686 5712	Southeast Asia and New Zealand +65 8686 5712
angus.com	Latin America +55 (11) 94245-5307	Central and Eastern Europe +33 670654658	Indian Subcontinent +33 670654658	Japan and Korea +65 8686 5712	
	<small>©™Trademark of ANGUS Chemical Company Notice: No freedom from infringement of any patent owned by ANGUS or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where ANGUS is represented. The claims made may not have been approved for use in all countries. ANGUS assumes no obligation or liability for the information in the document. References to "ANGUS" or the "Company" mean the ANGUS Chemical Company legal entity selling the products to Customer unless expressly noted. NO WARRANTIES ARE GIVEN: ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.</small>				
	<small>Published September 2015 Form No. MLT-1976-0915-TCG</small>				