

Key Performance Advantages

- For use in solvent-based formulations
- Enhances performance while reducing costs
- Improves film properties



Paints and Coatings

NIKANE[®] MS 5000

Multifunctional Solvent

NIKANE[®] MS 5000 is a multifunctional solvent that provides unique solvency benefits to your solvent system.

By adding NIKANE MS 5000 in your solvent-based formulations, you can reduce the amount of higher cost active solvents while enhancing product performance. Some of the benefits offered by NIKANE MS 5000 include:

- Excellent solvency for a variety of polymers
- Medium evaporation rate
- Unique properties afford more economical approach to formulation
- Improves film properties

Selected Formulating Properties

The following are selected formulating properties of NIKANE MS 5000 that will be useful for its inclusion into a formulation. They are not to be considered product specifications.

Specific Gravity @ 20/20°C	-1.01
Weight per U.S. Gallon @ 20°C, lb	-8.4
Evaporation Rate, by Volume (n-butyl acetate = 100)	95
Flash Point, Tag Closed Cup, °C/F	34/94
Solubility in Water @ 20°C, % by Weight	-2.1

Product Stewardship

ANGUS encourages its customers to review their applications of ANGUS products from the standpoint of human health and environmental quality. To help ensure that ANGUS products are not used in ways for which they are not intended, ANGUS personnel will assist customers in dealing with environmental and product safety considerations. For assistance, Safety Data Sheets, or other information, please contact your ANGUS representative at the numbers provided in this document. When considering the use of any ANGUS product in a particular application, review the latest Safety Data Sheet to ensure that the intended use is within the scope of approved uses and can be accomplished safely. Before handling any of the products, obtain available product safety information including the Safety Data Sheet(s) and take the necessary steps to ensure safety of use.

Contact Information	North America	Western Europe	Middle East and Africa	Greater China	Southeast Asia and New Zealand
angus.com	+1 (847) 808-3887	+33 670654658	+33 670654658	+65 8686 5712	+65 8686 5712
	Latin America +55 (11) 94245-5307	Central and Eastern Europe +33 670654658	Indian Subcontinent +33 670654658	Japan and Korea +65 8686 5712	
<small>©™Trademark of ANGUS Chemical Company Notice: No freedom from infringement of any patent owned by ANGUS or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where ANGUS is represented. The claims made may not have been approved for use in all countries. ANGUS assumes no obligation or liability for the information in the document. References to "ANGUS" or the "Company" mean the ANGUS Chemical Company legal entity selling the products to Customer unless expressly noted. NO WARRANTIES ARE GIVEN: ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. Published May 2015 Form number: NIK-1181-0115-TCG</small>					