



SAFETY DATA SHEET

ANGUS CHEMICAL COMPANY

Product name : Sodium Chloride, USP Grade

Issue Date: 11/02/2017

Print Date: 11/03/2017

ANGUS CHEMICAL COMPANY encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Sodium Chloride, USP Grade

Manufacturer or supplier's details

Company name of supplier ANGUS CHEMICAL COMPANY

Address 1500 E. LAKE COOK ROAD
Buffalo Grove IL 60089-6553

Customer Information Number +1-847-808-3711

E-mail address NAR_CC@ANGUS.COM

Emergency telephone number 800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use Life sciences research chemical.
The ANGUS Chemical Company recommends that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated use, please contact the Customer Information Group (see Section 1 of this data sheet).

2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label elements, including precautionary statements

This product is not hazardous per the Globally Harmonized System of Classification and Labelling (GHS).

Other hazards

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is a substance.

Components

Chemical Name	CAS-No.	Concentration (% w/w)
Sodium chloride	7647-14-5	>= 99.0 - <= 100.0 %

4. FIRST AID MEASURES

If inhaled	Move person to fresh air; if effects occur, consult a physician.
In case of skin contact	Wash off with plenty of water.
If swallowed	If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.
Most important symptoms and effects, both acute and delayed	Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.
Protection of first-aiders	If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Notes to physician	Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. No specific antidote.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	This material does not burn. If exposed to fire from another source, use suitable extinguishing agent for that fire.
Specific hazards during firefighting	None known.
Hazardous combustion products	Fire conditions may cause this product to decompose. Refer to section 10 - Thermal Decomposition.
Further information	Keep people away. Isolate fire and deny unnecessary entry. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS. This material does not burn. Fight fire for other material that is burning.
Special protective equipment	Wear positive-pressure self-contained breathing apparatus

for firefighters	(SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.
------------------	--

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Isolate area. Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Refer to section 7, Handling, for additional precautionary measures.
Environmental precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.
Methods and materials for containment and cleaning up	Contain spilled material if possible. Collect in suitable and properly labeled containers. Use care to minimize generation of airborne dust. See Section 13, Disposal Considerations, for additional information.

7. HANDLING AND STORAGE

Advice on safe handling	Avoid generating and breathing dust. Avoid contact with eyes. Wash thoroughly after handling. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.
Conditions for safe storage	Avoid temperatures above 40°C (104°F) Keep container tightly closed in a dry and well-ventilated place. Avoid moisture.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures

Local exhaust ventilation may be necessary for some operations.
Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

Personal protective equipment

Respiratory protection	<p>In dusty or misty atmospheres, use an approved particulate respirator.</p> <p>Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.</p> <p>The following should be effective types of air-purifying respirators:</p> <p>Particulate filter.</p>
Hand protection	<p>Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. If hands are cut or scratched, use gloves chemically resistant to this material even for brief exposures. Examples of preferred glove barrier materials include: Neoprene. Polyvinyl chloride ("PVC" or "vinyl"). Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.</p>
Skin and body protection	<p>Wear clean, body-covering clothing.</p>

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Crystals
Color	Colorless to white
Odor	Odorless
Odor Threshold	Odorless
pH	7 Method: Estimated. 1% aqueous solution.
Melting point/range	801 °C (1,474 °F) Method: Supplier
Freezing point	-20.5 °C (-4.9 °F) Method: Supplier for 23% aqueous solution
Boiling point/boiling range	1,413 °C (2,575 °F) Method: Supplier

Flash point	Test Type: closed cup No test data available
Evaporation rate	Not applicable to solids
Flammability (solid, gas)	No data available.
Upper explosion limit	No test data available
Lower explosion limit	No test data available
Vapor Pressure	1.00 mmHg (865 °C) Method: Supplier
Relative Vapor Density (air = 1)	No test data available
Relative density	2.165 (25 °C) Method: Supplier (water = 1)
Water solubility	360 (20 °C) Method: Supplier
Partition coefficient: n-octanol/water	Partitioning from water to n-octanol is not applicable. No bioconcentration is expected because of the relatively high water solubility.
Auto-ignition temperature	No test data available
Decomposition temperature	No test data available
Viscosity Viscosity, kinematic	Solid.
Explosive properties	No data available.
Oxidizing properties	No data available.
Molecular weight	58.44 g/mol Method: Supplier

NOTE: The physical data presented above are typical values and should not be construed as a specification.

10. STABILITY AND REACTIVITY

Reactivity	No dangerous reaction known under conditions of normal use.
Chemical stability	Thermally stable at typical use temperatures.
Possibility of hazardous	Polymerization will not occur.

reactions

Conditions to avoid

Avoid moisture.

Incompatible materials

Corrosive to some metals.
Avoid contact with:
Oxidizers.
Bromine trifluoride.
Acids.

Hazardous decomposition products

Does not normally decompose.
Decomposition products can include and are not limited to:
Hydrogen chloride.
Sodium oxides.

11. TOXICOLOGICAL INFORMATION

Toxicological information on this product or its components appear in this section when such data is available.

Acute toxicity

Product:

Acute oral toxicity

Remarks: Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.
Low toxicity if swallowed.
Excessive exposure may cause:
Nausea and/or vomiting.

LD50 (Rat): > 3,550 mg/kg

Acute inhalation toxicity

Remarks: Dust may cause irritation to upper respiratory tract (nose and throat).

LC50 (Rat): > 42 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity

Remarks: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

LD50
(Rabbit): 10,000 mg/kg

Skin corrosion/irritation

Product:

Result: No skin irritation

Remarks: Prolonged contact may cause slight skin irritation with local redness.
May cause more severe response if skin is abraded (scratched or cut).
Brief contact is essentially nonirritating to skin.

Serious eye damage/eye irritation

Product:

Result: No eye irritation
Remarks: May cause eye irritation.
May cause slight temporary corneal injury.
Dust may irritate eyes.

Respiratory or skin sensitization

Product:

Remarks: For skin sensitization:
No relevant data found.

Remarks: For respiratory sensitization:
No signs of respiratory sensitization have been reported.

Carcinogenicity

Product:

No relevant data found.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Teratogenicity

Product

No relevant data found.

Mutagenicity

Product

In vitro genetic toxicity studies were predominantly negative.

Reproductive toxicity

Product:

No relevant data found.

STOT - single exposure

Product:

Assessment: Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Repeated dose toxicity

Product:

Remarks: Medical experience with sodium chloride has shown a strong association between elevated blood pressure and prolonged dietary overuse. Related effects could occur in the kidneys.

Aspiration toxicity

Product:

Aspiration Hazard Based on physical properties, not likely to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,840 mg/l
Exposure time: 96.0 h
Test Type: flow-through test
Method: OECD Test Guideline 203 or Equivalent

LC50 (Pimephales promelas (fathead minnow)): 10,610 mg/l
Exposure time: 96.0 h
Test Type: static test
Method: OECD Test Guideline 203 or Equivalent

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,900.00 mg/l
Exposure time: 48.0 h
Test Type: static test

Toxicity to algae

EC50 (Other): 2,430 mg/l
End point: Growth inhibition (cell density reduction)
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201 or Equivalent

Toxicity to bacteria

IC50 (activated sludge): > 1,000 mg/l
Method: OECD 209 Test

Persistence and degradability

Product:

Biodegradability

Remarks: Biodegradation is not applicable.

Bioaccumulative potential

Product:

Partition coefficient: n-octanol/water

Remarks: Partitioning from water to n-octanol is not applicable.
No bioconcentration is expected because of the relatively high

water solubility.

Mobility in soil

Product:

Distribution among environmental compartments

Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).

Other adverse effects

Product:

Ozone-Depletion Potential

Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.
All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations.
Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.
AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL.
THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN MSDS SECTION: Composition Information.
FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted: Incinerator or other thermal destruction device.
Landfill.

14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR (DOT) – NON BULK**

Not regulated as a dangerous good

49 CFR (DOT) - BULK

Not regulated as a dangerous good

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. REGULATORY INFORMATION

OSHA Hazards

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

No OSHA Hazards

EPCRA - Emergency Planning and Community Right-to-Know Act**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

The following chemicals are listed because of the additional requirements of Pennsylvania law:

Cas No.	Component
7647-14-5	Sodium chloride

New Jersey Right To Know

The following chemicals are listed because of the additional requirements of New Jersey law:

Cas No.	Component
7647-14-5	Sodium chloride

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.


The components of this product are reported in the following inventories:

United States TSCA Inventory
 All components of this product are on the TSCA Inventory or are exempt from TSCA
 Inventory requirements under 40 CFR 720.30

16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
 2 = Moderate, 3 = High
 4 = Extreme, * = Chronic

Revision Date 11/02/2017
Version 0.0

Identification Number: 000040000202

US / EN

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods